Vol. 189 CARBOHYDRATE RESEARCH JUNE 15th, 1989

CONTENTS

(Abstracts/contents lists published in: Chem. Abstr.; Curr. Contents; Phys. Chem. Earth Sci., Life Sci.)

Liquid ion-exchange chromatography under pressure of milk oligosaccharides using a pulsed amperometric detector
W. T. WANG AND D. ZOPF (Bethesda, MD, U.S.A.) 1

Separation by liquid chromatography (under elevated pressure) of benzyl and nitrophenyl glycosides of oligosaccharides
R. L. THOMAS, S. A. ABBAS, C. F. PISKORZ, AND K. L. MATTA (Buffalo, NY, U.S.A.) . 13

Synthetic mucin fragments. Benzyl *O*-β-D-galactopyranosyl-(1→3)-*O*-(2-acetamido-2-deoxy-β-D-glucopyranosyl)-(1→6)-2-acetamido-2-deoxy-α-D-galactopyranoside and *O*-α-L-fucopyranosyl-(1→3)-*O*-(2-acetamido-2-deoxy-β-D-glucopyranosyl)-(1→6)-2-acetamido-2-deoxy-D-galactopyranose
R. L. THOMAS, J. F. RUTAN, S. A. ABBAS, AND K. L. MATTA (Buffalo, NY, U.S.A.) . 21

Crystallization behavior of amylose-V complexes: structure–property relationships
C. G. BILIADERIS AND G. GALLOWAY (Winnipeg, Manitoba, Canada) 31

Sequence-dependent reactivity of model peptides with glyceraldehyde
N. MORI, Y. BAI, H. UENO, AND J. M. MANNING (New York, NY, U.S.A.) 49

Neue Synthese und Kristallstruktur der Leucrose
J. THIEM, M. KLEEBERG (Münster, B.R.D.), UND K.-H. KLASKA (Hamburg, B.R.D.) . 65

A new approach to the synthesis of disaccharide derivatives having a furanose as the reducing unit
C. DU MORTIER, O. VARELA, AND R. M. DE LEDERKREMER (Buenos Aires, Argentina) . 79

Synthesis of 2′- and 3′-azido-2′,3′-dideoxyadenosines. Preparative applications of the deoxygenative [1,2]-hydride shift and β-elimination reactions of *O*-sulfonylated adenosines
M. KAWANA AND H. KUZUHARA (Saitama, Japan) 87

Carbohydrate–urea–phenol-based adhesives: transient formation of mono- and di-D-glucosylurea
R. F. HELM, J. J. KARCHESY, AND D. F. BAROFSKY (Corvallis, OR, U.S.A.) 103

A convenient, high-yield synthesis of L-oleandrose and L-oleandral
R. L. TOLMAN AND L. H. PETERSON (Rahway, NJ, U.S.A.) 113

Reactions of phenyl chlorosulfate at OH-1, -4, and -6 of aldohexopyranose derivatives. Formation of 1,2-oxazoline and 4,6-cyclic sulfate rings
M. M. ABDEL-MALIK AND A. S. PERLIN (Montréal, Québec, Canada) 123

Chromic acid oxidation in the synthesis of uronic acids. Use of the *O*-levulinoyl group to minimize acyl migration
R. N. REJ, J. N. GLUSHKA, W. CHEW, AND A. S. PERLIN (Montréal, Québec, Canada) . 135

Synthesis of nitrogen-bridged purine-like *C*-nucleosides from ethyl 2,5-anhydro-6-*O*-benzoyl-D-allonodithioate
H. S. EL KHADEM, J. KAWAI (Washington, DC, U.S.A.), AND D. L. SWARTZ (Houghton, MI, U.S.A.) 149

Structure of the lipopolysaccharide antigenic O-chain produced by *Salmonella ohio* (O:6,7)
J. L. DI FABIO, J.-R. BRISSON, AND M. B. PERRY (Ottawa, Ontario, Canada) . . . 161

(Continued overleaf)

Fractional precipitation of amylopectin alpha-dextrins using methanol
E. BERTOFT AND L. SPOOF (Turku, Finland) 169

Partial characterisation of amylopectin alpha-dextrins
E. BERTOFT (Turku, Finland) 181

Investigation of the fine structure of amylopectin using alpha- and beta-amylase
E. BERTOFT (Turku, Finland) 195

Structural characterisation of an anti-complementary pectic polysaccharide from the roots of *Bupleurum falcatum* L.
H. YAMADA, K.-S. RA, H. KIYOHARA, J.-C. CYONG, AND Y. OTSUKA (Tokyo, Japan) . 209

Molecular structures of rice starch
S. HIZUKURI, Y. TAKEDA, N. MARUTA (Kagoshima, Japan), AND B. O. JULIANO (Laguna, Philippines) 227

Homologous and heterologous reactions of bacteriophages ϕ41 and ϕ12 on the capsular polysaccharides from *Klebsiella* K41 and K12
M. BEURRET, J.-P. JOSELEAU (Saint-Martin d'Hères, France), G. G. S. DUTTON, AND A. V. SAVAGE (Vancouver, B.C., Canada) 237

Proof of the occurrence of 5,6-*O*-(1-carboxyethylidene)-D-galactofuranose units in the capsular polysaccharide of *Klebsiella* K12
M. BEURRET, J.-P. JOSELEAU, M. VIGNON (Saint-Martin d'Hères, France), G. G. S. DUTTON AND A. V. SAVAGE (Vancouver, B.C., Canada) 247

The acetylation at O-3 of galacturonic acid in the rhamnose-rich portion of pectins
P. KOMALAVILAS AND A. J. MORT (Stillwater, OK, U.S.A.) 261

(1→3)-α-D-Glucan from an alkaline extract of *Agrocybe cylindracea*, and antitumor activity of its *O*-(carboxymethyl)ated derivatives
T. KIHO, I. YOSHIDA, K. NAGAI, S. UKAI, AND C. HARA (Gifu, Japan) 273

Identification of 6-deoxy-D-talose in an extracellular polysaccharide produced by *Butyrivibrio fibrisolvens* strain X6C61
R. J. STACK (Peoria, IL, U.S.A.) 281

Purification of endo-*N*-acetyl-β-D-glucosaminidase H by substrate-affinity chromatography
U. F. GREBER, B. KOZULIĆ, AND K. MOSBACH (Lund, Sweden) 289

Production and characterization of antisera raised to the manninotrionate group [α-D-Gal*p*-(1→6)-α-D-Gal*p*-(1→6)-D-gluconate]
S. SHIBATA, N. PLESSAS, AND I. J. GOLDSTEIN (Ann Arbor, MI, U.S.A.) 301

Total synthesis of acarbose and adiposin-2
Y. SHIBATA AND S. OGAWA (Yokohama, Japan) 309

Notes

Synthesis of the penta-*N*,*O*-acetyl derivatives of some pseudo-3-amino-3-deoxy-DL-hexopyranoses and -DL-hexopyranosylamine derivatives
S. OGAWA AND M. ORIHARA (Yokohama, Japan) 323

Unusual carbonate formation in saccharide synthesis
R. L. BAUMES, C. L. BAYONOVE, R. E. CORDONNIER, Y. Z. GÜNATA, R. WYLDE, AND A. HEITZ (Montpellier, France) 331

(Continued overleaf)

Amphiphilic liposaccharides. Synthesis and reductive cleavage of *C*-allyl, *O*-allyl, and *O*-butenyl glycosyl derivatives
D. CABARET AND M. WAKSELMAN (Thiais, France) 341

New pentahydroxypentylpyrazoles from the reactions of D-mannose and D-galactose methylhydrazones with nitroalkenes
M. GÓMEZ-GUILLÉN, F. HANS-HANS, J. M. LASSALETTA SIMON, AND M. E. MARTÍN-ZAMORA (Seville, Spain) 349

An attempt to derive a new Karplus-type equation of vicinal proton–carbon coupling constants for C–O–C–H segments of bonded atoms
I. TVAROŠKA, M. HRICOVÍNI, AND E. PETRÁKOVÁ (Bratislava, Czechoslovakia) . . . 359

Determination of the degree of *N*-acetylation of chitin–chitosan with picric acid
W. A. NEUGEBAUER, E. NEUGEBAUER, AND R. BRZEZINSKI (Sherbrooke, Québec, Canada) 363

A colorimetric method for the estimation of 2-deoxy-3-*C*-methyl-branched sugars
S. F. LO, Y. YU, D.-Y. YANG, AND H.-W. LIU (Minneapolis, MN, U.S.A.) 368

L-Galactose in sulfated polysaccharides from tunicates
M. S. G. PAVÃO, R. M. ALBANO, AND P. A. S. MOURÃO (Rio de Janeiro, Brazil) . . 374

Preliminary communication

A new and stereospecific approach to Kdo-containing disaccharides using phenylselenyl triflate
K. IKEDA, S. AKAMATSU, AND K. ACHIWA (Shizuoka, Japan) c1

Book reviews c5

Corrigenda c10

Author index c11

Subject index c13